




colden.com.br | +55 3611-4787 | colden@colden.com.br

Separadores de Líquido Verticais

Modelo	Ø Corpo (D)	Compr. (mm) (C)	Conexões Tipo	Entrada	Saída	Volume (L)	R22 (Kg)	R134A (Kg)	R407C (Kg)	R404A (Kg)
SVR16-16	4"	247	BS	5/8"	5/8"	1,6	0,8243	0,84	0,8243	0,74
SVR19-16	4"	247	BS	3/4"	3/4"	1,6	1,32	1,34	1,32	1,18
SVR22-16	4"	247	BS	7/8"	7/8"	1,6	1,32	1,34	1,32	1,18
SVR22-40	5"	355	BS	7/8"	7/8"	4,0	3,30	3,36	3,30	2,96
SVR28-60	6"	365	BS	1 1/8"	1 1/8"	6,0	4,95	5,04	4,95	4,44
SVR35-60	6"	365	PT	1 3/8"	1 3/8"	6,0	4,95	5,04	4,95	4,44
SVR35-120	6"	660	PT	1 3/8"	1 3/8"	12,0	9,89	10,08	9,89	8,88
SVR42-80	6"	463	PT	1 5/8"	1 5/8"	8,0	6,59	6,72	6,59	5,92
SVR54-140	8"	483	PT	2 1/8"	2 1/8"	14,0	11,54	11,76	11,54	10,36
SVR67-260	10"	533	ES	2 5/8"	2 5/8"	26,0	21,43	21,84	21,43	19,24
SVR67-370	10"	730	ES	2 5/8"	2 5/8"	37,0	30,50	31,08	30,50	27,38
SVR80-480	14"	593	ES	3 1/8"	3 1/8"	48,0	39,57	40,32	39,57	35,52
SVR80-650	14"	790	ES	3 1/8"	3 1/8"	65,0	53,58	54,60	53,58	48,10
SVR90-850	14"	987	ES	3 5/8"	3 5/8"	85,0	70,07	71,40	70,07	62,90


Modelo	Ø Corpo (D)	Compr. (mm) (C)	Conexões Tipo	Entrada	Saída	Volume (L)	R22 (Kg)	R134A (Kg)	R407C (Kg)	R404A (Kg)
SVR100-1050	20"	645	ES	4"	4"	105,0	86,55	88,20	86,55	77,70

BS: Bolsa p/ Solda · ES: Encaixe p/ Solda · PT: Ponta de Tubo · Opcionais: Dreno; Dispositivo de Segurança; Visores.



Separadores de Líquido Verticais - Saída Lateral

Modelo	Ø Corpo (D)	Compr. (mm) (C)	Conexões Tipo	Entrada	Saída	Volume (L)	R22 (Kg)	R134A (Kg)	R407C (Kg)	R404A (Kg)
SVRL28-80	8"	365	PT	1 1/8"	1 1/8"	8,0	6,59	6,72	6,59	5,92
SVRL35-80	8"	365	PT	1 3/8"	1 3/8"	8,0	6,59	6,72	6,59	5,92
SVRL42-80	8"	326	PT	1 5/8"	1 5/8"	8,0	6,59	6,72	6,59	5,92
SVRL54-200	10"	435	PT	2 1/8"	2 1/8"	20,0	16,49	16,80	16,49	14,80
SVRL67-260	10"	533	ES	2 5/8"	2 5/8"	26,0	21,43	21,84	21,43	19,24
SVR80L-480	14"	593	ES	3 1/8"	3 1/8"	48,0	39,57	40,32	39,57	35,52
SVRL90-850	14"	987	ES	3 5/8"	3 5/8"	85,0	70,07	71,40	70,07	62,90
SVRT100-1050	20"	640	ES	4"	4"	105,0	86,55	88,20	86,55	77,70



Separadores de Líquido Horizontais

Modelo	Ø Corpo (D)	Compr. (mm) (C)	Conexões Tipo	Entrada	Saída	Volume (L)	R22 (Kg)	R134A (Kg)	R407C (Kg)	R404A (Kg)
SHR22-60	6"	365	BS	7/8"	7/8"	6,0	4,95	5,04	4,95	4,44
SHR28-60	6"	365	BS	1 1/8"	1 1/8"	6,0	4,95	5,04	4,95	4,44
SHR35-80	6"	463	PT	1 3/8"	1 3/8"	8,0	6,59	6,72	6,59	5,92
SHR42-120	6"	660	PT	1 5/8"	1 5/8"	12,0	9,89	10,08	9,89	8,88
SHR54-180	6"	955	PT	2 1/8"	2 1/8"	18,0	14,84	15,12	14,84	13,32
SHR54-200	8"	680	PT	2 1/8"	2 1/8"	20,0	16,49	16,80	16,49	14,80

